

LOGO SLICK NEW ORLEANS KREWE





COLOR GUIDE

PRIMARY MARK

COLORS FOR A DARK BACKGROUND

PRIMARY MARK

UNIFORM



NEW ORLEANS KREWE LOGO SLICK




The color and greyscale guides shown here are for reference only. Use the mechanical/art for actual reproduction. When printing with process colors, use only the process color specifications listed on this slick.

Note: Logos are all-rights reserved and the use of a logo requires prior approval.

Version: 3.20.2018

COLORS File Usage	PANTONE Spot Printing	C/M/Y/K 4C Printing	R/G/B Video	GreyScale B/W Printing	WEBSAFE Web	
Green	PMS 356	60/0/45/5	13/136/45	40%	CC 00 00	Green
Black	PMS BLACK	85/85/85/100	0/0/0	100%	00 00 00	Black
Blue	PMS 286	100/20/0/30	45/45/163	80%	CC 00 00	Blue
Yellow	PMS 123	0/20/100/0	160/160/165	20%	CC 99 33	Yellow
Red	PMS 187	20/100/60/0	163/13/45	60%	CC 00 00	Red

FAN MERCHANDISE NEW ORLEANS KREWE



NEW ORLEANS KREWE MERCHANDISE SLICK


The color and greyscale guides shown here are for reference only. Use the mechanical/art for actual reproduction. When printing with process colors, use only the process color specifications listed on this slick.

Note: Logos are all-rights reserved and the use of a logo requires prior approval.


Version: 3.20.2018

COLORS File Usage	PANTONE Spot Printing	C/M/Y/K 4C Printing	R/G/B Video	GreyScale B/W Printing	WEBSAFE Web	
Green	PMS 356	60/0/45/5	13/136/45	40%	CC 00 00	Green
Black	PMS BLACK	85/85/85/100	0/0/0	100%	00 00 00	Black
Blue	PMS 286	100/20/0/30	45/45/163	80%	CC 00 00	Blue
Yellow	PMS 123	0/20/100/0	160/160/165	20%	CC 99 33	Yellow
Red	PMS 187	20/100/60/0	163/13/45	60%	CC 00 00	Red

FAN MERCHANDISE NEW ORLEANS KREWE



iphone



Popsocket
Imprint Area



expands
for grips, stands,
and earbud wrap

NEW ORLEANS KREWE MERCHANDISE SLICK

The color and greyscale guides shown here are for reference only. Use the mechanical/art for actual reproduction. When printing with process colors, use only the process color specifications listed on this slick.

Note: Logos are all-rights reserved and the use of a logo requires prior approval.

Version: 3.20.2018

COLORS File Usage	PANTONE Spot Printing	C/M/Y/K 4C Printing	R/G/B Video	GreyScale B/W Printing	WEBSAFE Web	
Green	PMS 356	60/0/45/5	13/136/45	40%	CC 00 00	Green
Black	PMS BLACK	85/85/85/100	0/0/0	100%	00 00 00	Black
Blue	PMS 286	100/20/0/30	45/45/163	80%	CC 00 00	Blue
Yellow	PMS 123	0/20/100/0	160/160/165	20%	CC 99 33	Yellow
Red	PMS 187	20/100/60/0	163/13/45	60%	CC 00 00	Red