

# LOGO SLICK SEATTLE SLAM


## COLOR GUIDE

PRIMARY MARK

COLORS FOR A  
DARK BACKGROUND

PRIMARY MARK

## UNIFORM



FRONT

BACK

SIDE

## SEATTLE SLAM LOGO SLICK





The color and greyscale guides shown here are for reference only. Use the mechanical/art for actual reproduction. When printing with process colors, use only the process color specifications listed on this slick.

Note: Logos are all-rights reserved and the use of a logo requires prior approval.

Version: 3.20.2018

COLORS File Usage	PANTONE Spot Printing	C/M/Y/K 4C Printing	R/G/B Video	GreyScale B/W Printing	WEBSAFE Web	
Green	PMS 356	60/0/45/5	13/136/45	40%	CC 00 00	Green
Black	PMS BLACK	85/85/85/100	0/0/0	100%	00 00 00	Black
Blue	PMS 286	100/20/0/30	45/45/163	80%	CC 00 00	Blue
Yellow	PMS 123	0/20/100/0	160/160/165	20%	CC 99 33	Yellow
Red	PMS 187	20/100/60/0	163/13/45	60%	CC 00 00	Red

# FAN MERCHANDISE SEATTLE SLAM



## SEATTLE SLAM MERCHANDISE SLICK


The color and greyscale guides shown here are for reference only. Use the mechanical/art for actual reproduction. When printing with process colors, use only the process color specifications listed on this slick.

Note: Logos are all-rights reserved and the use of a logo requires prior approval.


Version: 3.20.2018

COLORS File Usage	PANTONE Spot Printing	C/M/Y/K 4C Printing	R/G/B Video	GreyScale B/W Printing	WEBSAFE Web	
Green	PMS 356	60/0/45/5	13/136/45	40%	CC 00 00	Green
Black	PMS BLACK	85/85/85/100	0/0/0	100%	00 00 00	Black
Blue	PMS 286	100/20/0/30	45/45/163	80%	CC 00 00	Blue
Yellow	PMS 123	0/20/100/0	160/160/165	20%	CC 99 33	Yellow
Red	PMS 187	20/100/60/0	163/13/45	60%	CC 00 00	Red

# FAN MERCHANDISE SEATTLE SLAM



iphone



Popsocket  
Imprint Area



expands  
for grips, stands,  
and earbud wrap

## SEATTLE SLAM MERCHANDISE SLICK

The color and greyscale guides shown here are for reference only. Use the mechanical/art for actual reproduction. When printing with process colors, use only the process color specifications listed on this slick.

Note: Logos are all-rights reserved and the use of a logo requires prior approval.

Version: 3.20.2018

COLORS File Usage	PANTONE Spot Printing	C/M/Y/K 4C Printing	R/G/B Video	GreyScale B/W Printing	WEBSAFE Web	
Green	PMS 356	60/0/45/5	13/136/45	40%	CC 00 00	Green
Black	PMS BLACK	85/85/85/100	0/0/0	100%	00 00 00	Black
Blue	PMS 286	100/20/0/30	45/45/163	80%	CC 00 00	Blue
Yellow	PMS 123	0/20/100/0	160/160/165	20%	CC 99 33	Yellow
Red	PMS 187	20/100/60/0	163/13/45	60%	CC 00 00	Red